


Application Serial No.: 10/824,005  
 Attorney Docket No. P-082-US3  
 Page 2 of 28

Amendments to the Claims:

Claims 1-12 (canceled)


13. (Previously presented) A compound of formula II:



II

or a pharmaceutically acceptable salt thereof; wherein:  
 one L is selected from the group consisting of:

(a) a moiety of formula XI:



wherein

each  $R_v$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;

$R_v$  is a covalent bond linking the moiety to the linker;

each  $R_w$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;


$Q_6$  is  $NR_w$ , O, S or alkylene, where  $R_w$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

$Q_6$  is  $NR_v$ , O, S or alkylene, where  $R_v$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

Application Serial No.: 10/824,005  
Attorney Docket No. P-082-US3  
Page 3 of 28

each  $m$  is independently an integer from 1 to 3;

(b) a moiety of formula XII:



XII

wherein


each  $R_x$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl, substituted cycloalkyl, aryl, heteroaryl and heterocyclic;

$R_y$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl and substituted alkynyl;

$R_z$  is a covalent bond linking the moiety to the linker;

$E$  is CH or N; and

(c) a moiety of formula XIII:



XIII

wherein

Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3

Page 4 of 28

each  $R_{aa}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl, substituted cycloalkyl, aryl, heteroaryl and heterocyclic;


$R_{ab}$  is alkyl, substituted alkyl, alkoxy, substituted alkoxy, amino, substituted amino, thioalkoxy, substituted thioalkoxy, wherein the alkyl, substituted alkyl, alkoxy, substituted alkoxy, amino, substituted amino, thioalkoxy or substituted thioalkoxy group is substituted with a covalent bond linking the moiety to the linker;

D is a covalent bond,  $NR_{ab}$ , O or S, where  $R_{ab}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

E is CH or N;

and the other L is selected from the group consisting of:

- (d) a moiety of formula XI;
- (e) a moiety of formula XII;
- (f) a moiety of formula XIII:
- (g) a moiety of formula VI:



wherein

each  $R_j$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl and a covalent bond linking the moiety to the linker;

$R_k$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, alkoxy, hydroxy, halogen and -CHO;

each  $Q_2$  is independently  $NR_j$ , O and S, where  $R_j$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;


Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3

Page 5 of 28

provided one and only one of  $R_j$  comprises a covalent bond linking the moiety to the linker;

(h) a moiety of formula VIII:



wherein


each  $R_o$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;

$R_p$  is aryl or heteroaryl, wherein the aryl or heteroaryl group is substituted with a covalent bond linking the moiety to the linker or with  $-OZ'$  where  $Z'$  is a covalent bond linking the moiety to the linker;

$Z$  is  $2H$  or  $O$ ;

$m$  is an integer from 1 to 3;

(i) a moiety of formula IX:



wherein

each  $R_q$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl,

Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3

Page 6 of 28

substituted cycloalkyl, aryl, heteroaryl, heterocyclic and a covalent bond linking the moiety to the linker;


each  $R_q$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl and acyl;

$R_s$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl and acyl;

$R_r$  is aryl or heteroaryl, wherein the aryl or heteroaryl group is substituted with a covalent bond linking the moiety to the linker;

provided one and only one of  $R_q$  or  $R_r$  comprises a covalent bond linking the moiety to the linker;

(j) a moiety of formula X:



wherein

each  $R_t$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;

each  $R_u$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy, substituted thioalkoxy and a covalent bond linking the moiety to the linker;


Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3

Page 7 of 28

$Q_5$  is  $NR_1$ , O, S or alkylene, where  $R_1$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;  
 each  $m$  is independently an integer from 1 to 3;  
 provided one and only one of  $R_u$  comprises a covalent bond linking the moiety to the linker;

(k) a moiety of formula XIV:




wherein

$R_{ac}$  is a covalent bond linking the moiety to the linker;

$R_{ad}$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl, substituted cycloalkyl, aryl, heteroaryl and heterocyclic;

$R_{ac}$  is aryl or heteroaryl;

(l) a moiety of formula XV:



wherein

$R_{at}$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl and acyl;

Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3

Page 8 of 28

each  $R_{ag}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;


$R_{ah}$  is aryl or heteroaryl;

$R_{ai}$  is aryl or heteroaryl, wherein the aryl or heteroaryl group is substituted with a covalent bond linking the moiety to the linker;

$Q_7$  is  $NR_{af}$ , O, S or alkylene, where  $R_{af}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

$m'$  is 1 or 2;

(m) a moiety of formula XVI:



wherein

each  $R_{aj}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;

$R_{al}$  is aryl or heteroaryl;

each  $R_{ak}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl, substituted cycloalkyl, aryl, heteroaryl, heterocyclic, and a covalent bond linking the moiety to the linker;

Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3


Page 9 of 28

$Q_8$  is  $NR_{al}$ , O, S or alkylene, where  $R_{al}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

$m$  is an integer from 1 to 3;

provided one and only one of  $R_{ak}$  comprises a covalent bond linking the moiety to the linker;

(n) a moiety of formula XIX:



wherein

$R_{as}$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl and a covalent bond linking the moiety to the linker;

$R_{at}$  is selected from the group consisting of 4-phosphonomethylphenyl, 4-phosphonodifluoromethylphenyl, 3-carboxy-4-carboxymethoxyphenyl and 3,4-dihydroxyphenyl;

$R_{au}$  is aryl or heteroaryl, wherein the aryl or heteroaryl group is substituted with a covalent bond linking the moiety to the linker or with  $-OZ'$ , where  $Z'$  is a covalent bond linking the moiety to the linker;

$R_{av}$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl and alkaryl;

provided one and only one of  $R_{as}$  and  $R_{au}$  comprises a covalent bond linking the moiety to the linker;




Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3

Page 10 of 28

(o) a moiety of formula XX:



wherein


each  $R_{aw}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;

each  $R_{ax}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy, substituted thioalkoxy, a covalent bond linking the moiety to the linker and -OZ', where Z' is a covalent bond linking the moiety to the linker;

each  $m$  is independently an integer from 1 to 3;

provided one and only one of  $R_{ax}$  comprises a covalent bond linking the moiety to the linker;

(p) a moiety of formula XXIV:




wherein

$R_{be}$  is a covalent bond linking the moiety to the linker;

Application Serial No.: 10/824,005  
 Attorney Docket No. P-082-US3  
 Page 11 of 28


(q) a moiety of formula XXVI:



wherein

R<sub>bi</sub> is a covalent bond linking the moiety to the linker;

(s) a moiety of formula XXVII:



wherein

each R<sub>bj</sub> is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl and a covalent bond linking the moiety to the linker;

Q<sub>11</sub> is NR<sub>bj</sub>, O, S or alkylene, where R<sub>bj</sub> is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;


provided one and only one of R<sub>bj</sub> comprises a covalent bond linking the moiety to the linker;

Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3

Page 12 of 28

(t) a moiety of formula XXVIII:




wherein

each  $R_{bk}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy, substituted thioalkoxy,  $-SO-R_{bk}$  and  $-SO_2-R_{bk}$ , where  $R_{bk}$  is alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl, substituted cycloalkyl, aryl, heteroaryl or heterocyclic;

$R_{bl}$  is aryl or heteroaryl, wherein the aryl or heteroaryl group is substituted with a covalent bond linking the moiety to the linker or with  $-(CH_2)_u-Z'$ , where  $Z'$  is a covalent bond linking the moiety to the linker and  $u$  is an integer from 1 to 3;

$m$  is an integer from 1 to 3; and

(u) a moiety of formula XXIX:



wherein

$R_{bn}$  is selected from the group consisting of alkoxy, substituted alkoxy, hydroxy and  $-OZ'$ , where  $Z'$  is a covalent bond linking the moiety to the linker;

$R_{bo}$  is aryl or heteroaryl;

$R_{bp}$  is acyl, alkoxycarbonyl and a covalent bond linking the moiety to the linker;


Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3

Page 13 of 28

provided one and only one of  $R_{bn}$  and  $R_{bp}$  comprises a covalent bond linking the moiety to the linker;

and each X is a linker independently selected from a group of the formula:



wherein

$m'$  is an integer of from 0 to 20;

$X^a$  at each separate occurrence is selected from the group consisting of -O-, -S-, -NR-, -C(O)-, -C(O)O-, -C(O)NR-, -C(S)-, -C(S)O-, -C(S)NR- or a covalent bond;

Z is at each separate occurrence is selected from the group consisting of alkylene, substituted alkylene, cycloalkylene, substituted cycloalkylene, alkenylene, substituted alkenylene, alkynylene, substituted alkynylene, cycloalkenylene, substituted cycloalkenylene, arylene, heteroarylene, heterocyclene, or a covalent bond;

$Y^a$  and  $Y^b$  at each separate occurrence are selected from the group consisting of: -C(O)NR'-, -NR'C(O)-, -NR'C(O)NR'-, -C(=NR')-NR'-, -NR'-C(=NR')-, -NR'-C(O)-O-, -N=C(R)-NR'-, -P(O)(OR')-O-, -S(O)<sub>n</sub>CR'R"-, -S(O)<sub>n</sub>-NR'-, -S-S- and a covalent bond; where  $n$  is 0, 1 or 2; and

R, R' and R'' at each separate occurrence are selected from the group consisting of hydrogen, alkyl, substituted alkyl, cycloalkyl, substituted cycloalkyl, alkenyl, substituted alkenyl, cycloalkenyl, substituted cycloalkenyl, alkynyl, substituted alkynyl, aryl, heteroaryl and heterocyclic.

14. (Previously presented) The compound of Claim 13, wherein one or both ligands are a moiety of formula XI.


15. (Previously presented) The compound of Claim 13, wherein one or both ligands are a moiety of formula XII.

16. (Previously presented) The compound of Claim 13, wherein one or both ligands are a moiety of formula XIII.

Application Serial No.: 10/824,005  
Attorney Docket No. P-082-US3  
Page 14 of 28

17. (Currently amended) The compound of Claim 13, wherein one L is selected from the group consisting of:

(a) a moiety of formula O:




wherein

R<sub>26</sub> is selected from the group consisting of hydrogen and acyl;

Het<sub>1</sub> is heterocyclic or heteroaryl;

(b) a moiety of formula P:




wherein

R<sub>27</sub> is selected from the group consisting of hydrogen, alkyl of 1 to 6 carbon atoms and substituted alkyl;

Ar<sub>3</sub> is aryl; and

Application Serial No.: 10/824,005  
 Attorney Docket No. P-082-US3  
 Page 15 of 28

(c) a moiety of formula S:



wherein

D is selected from the group consisting of a covalent bond, -NH-, -S- and -O-;

E is selected from the group consisting of CH and N;

Ar<sub>3</sub> is aryl;


and the other L is selected from the group consisting of:

(d) a moiety of formula O;

(e) a moiety of formula P;

(f) a moiety of formula S;

(g) a moiety of formula D:



wherein

R<sub>6</sub> is selected from the group consisting of substituted alkyl and -CHO;


R<sub>7</sub> is selected from the group consisting of hydrogen, alkyl and acyl;

Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3

Page 16 of 28

(h) a moiety of formula F:



wherein

R<sub>10</sub> is selected from the group consisting of hydrogen, alkoxy, amino and substituted amino;


R<sub>11</sub> is selected from the group consisting of hydrogen, alkoxy, halogens, amino, substituted amino and nitro;

R<sub>12</sub> is selected from the group consisting of hydrogen, hydroxy, alkoxy and halogen;

R<sub>13</sub> is selected from the group consisting of hydrogen, hydroxy, alkoxy and halogen;

Z is selected from the group consisting of 2H and O;

(i) a moiety of formula H:



wherein

R<sub>17</sub> and R<sub>18</sub> are independently selected from the group consisting of hydrogen and alkyl of 1 to 6 carbon atoms;


Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3


Page 17 of 28

$R_{19}$  is selected from the group consisting of alkyl of 1 to 6 carbon atoms,  $\text{CH}_2\text{C}(\text{O})\text{OEt}$ ,  $-(\text{CH}_2)_3\text{OH}$ , alkaryl, aryl and heteroaryl;

(j) a moiety of formula N:



(k) a moiety of formula U:



wherein


$R_{29}$  is selected from the group consisting of 4-pyrimidinyl, 2-methylaminopyrimidin-4-yl, 2-phenoxy pyrimidin-4-yl, 2-(4-methoxyphenoxy)pyrimidin-4-yl, 2-(4-fluorophenoxy)pyrimidin-4-yl, 2-(4-aminocarbonylphenoxy)pyrimidin-4-yl, 2-(4-ethylphenoxy)pyrimidin-4-yl, 2-(4-benzyloxyphenoxy)pyrimidin-4-yl, 2-(4-cyanophenoxy)pyrimidin-4-yl, 2-(4-hydroxyphenoxy)pyrimidin-4-yl, 2-(3-methoxyphenoxy)pyrimidin-4-yl, 2-(4-phenylphenoxy)pyrimidin-4-yl, 2-(4-phenoxyphenoxy)pyrimidin-4-yl, 2-(3-hydroxyphenoxy)pyrimidin-4-yl, 2-(2-hydroxyphenoxy)pyrimidin-4-yl, 2-(3,4-methylenedioxyphenoxy)pyrimidin-4-yl, 2-(3-fluorophenoxy)pyrimidin-4-yl, 2-(2-fluorophenoxy)pyrimidin-4-yl, 2-(2-methoxyphenoxy)pyrimidin-4-yl, 2-(3-trifluoromethylphenoxy)pyrimidin-4-yl, 2-(3,4-difluorophenoxy)pyrimidin-4-yl,



Application Serial No.: 10/824,005  
 Attorney Docket No. P-082-US3  
 Page 18 of 28

2-(4-methylsulfonylphenoxy)pyrimidin-4-yl, 2-(4-methoxyphenoxy)pyrimidin-4-yl, 4-pyridinyl, 2-phenoxy pyridin-4-yl, 2-(4-methoxyphenoxy)pyridin-4-yl, 2-(4-fluorophenoxy)pyridin-4-yl, 2-(4-benzyloxyphenoxy)pyrimidin-4-yl, 2-(4-cyanophenoxy)pyrimidin-4-yl, 2-(4-hydroxyphenoxy)pyrimidin-4-yl, 2-(3-methoxyphenoxy)pyrimidin-4-yl, 2-(4-phenylphenoxy)pyrimidin-4-yl, 2-(4-phenoxyphenoxy)pyrimidin-4-yl, 2-(3-hydroxyphenoxy)pyrimidin-4-yl, 2-(2-hydroxyphenoxy)pyrimidin-4-yl, 2-(3,4-methylenedioxyphenoxy)pyrimidin-4-yl, 2-(3-fluorophenoxy)pyrimidin-4-yl, 2-(2-fluorophenoxy)pyrimidin-4-yl, 2-(2-methoxyphenoxy)pyrimidin-4-yl, 2-(3-trifluoromethylphenoxy)pyrimidin-4-yl, 2-(3,4-difluorophenoxy)pyrimidin-4-yl, 2-(4-methylsulfonylphenoxy)pyrimidin-4-yl, and 2-(4-methoxyphenoxy)pyrimidin-4-yl;

(l) a moiety of formula V:



wherein


R<sub>30</sub> is selected from the group consisting of hydrogen, alkyl of 1 to 6 carbon atoms, halogen and alkoxy;

R<sub>31</sub> is selected from the group consisting of hydrogen, alkyl of 1 to 6 carbon atoms, halogen, alkoxy and Z<sub>v</sub>;

R<sub>32</sub> is selected from the group consisting of hydrogen, amino, substituted amino, alkoxy, -NHCOCH<sub>3</sub>, and Z<sub>v</sub>, provided one and only one of R<sub>31</sub> and R<sub>32</sub> is Z<sub>v</sub>;

Application Serial No.: 10/824,005  
 Attorney Docket No. P-082-US3  
 Page 19 of 28

(m) a moiety of formula Z:




wherein

R<sub>34</sub> is selected from the group consisting of hydrogen, hydroxy, alkyl, alkoxy, halogen and substituted alkyl;


R<sub>35</sub> is selected from the group consisting of hydrogen and halogen;

R<sub>36</sub>, R<sub>37</sub>, and R<sub>38</sub> are selected from the group consisting of hydrogen, -NO<sub>2</sub>, alkyl, substituted alkyl, amino, substituted amino, alkoxy, hydroxy and halogen;

(n) a moiety of formula L:



(o) a moiety of formula M:



wherein, in formula L and M,


Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3

Page 20 of 28

$R_{22}$  is selected from the group consisting of hydrogen, alkyl of 1 to 6 carbon atoms and substituted alkyl;


$R_{23}$  is



$R_{24}$  is selected from the group consisting of hydrogen and acyl;


$R_{25}$  is selected from the group consisting of alkyl and cycloalkyl;

$R_{39}$  is selected from the group consisting of



$Ar_2$  is selected from the group consisting of alkyl of 1 to 6 carbon atoms, substituted alkyl and aryl;

(p) a moiety of formula Q:




(q) a moiety of formula AA:


Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3


Page 21 of 28




(r) a moiety of formula X:



(s) a moiety of formula Y:



(t) a moiety of formula AB:




(u) a moiety of formula AH:


Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3


Page 22 of 28



(v) a moiety of formula AI:



(w) a moiety of formula AB':



wherein

R<sub>41</sub> is independently selected from the group consisting of hydrogen, 4-CH<sub>3</sub>, 5-CH<sub>3</sub>, and 4,5-di-CH<sub>3</sub>;

R<sub>42</sub> is independently selected from the group consisting of hydrogen, CH<sub>3</sub>, -F, -Cl and -NO<sub>2</sub>;

R<sub>49</sub> is independently selected from the group consisting of acetyl, t-BOC, -Cbz, and -C(O)Ph;

R<sub>50</sub> is independently selected from the group consisting of C<sub>1-5</sub> alkyl (~~preferably methyl, ethyl and propyl~~);

Ar<sub>5</sub> is independently selected from the group consisting of C<sub>6</sub>H<sub>5</sub>, p-C<sub>6</sub>H<sub>4</sub>OH, and other substituted phenyl groups;

Application Serial No.: 10/824,005  
Attorney Docket No. P-082-US3  
Page 23 of 28

$u$  is an integer from 1 to 3,  
and further wherein  $Z_d, Z_f, Z_h, Z_i, Z_m, Z_n, Z_o, Z_p, Z_q, Z_s, Z_t, Z_v, Z_x, Z_y, Z_z, Z_{aa}, Z_{ab}, Z_{ah},$   
and  $Z_{ai}$  are covalent bonds linking the moiety to the linker;  
and stereoisomers ~~and~~ ~~analog~~s thereof.

18. (Previously presented) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S, and the other L is a moiety of formulae D, F, H, N, O, P, S, U, V, or Z.
19. (Previously presented) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S, and the other L is a moiety of formulae L or M.
20. (Previously presented) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S, and the other L is a moiety of formula Q.
21. (Previously presented) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S, and the other L is a moiety of formula AA.
22. (Previously presented) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S, and the other L is a moiety of formulae X or Y.
23. (Previously presented) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S, and the other L is a moiety of formulae AB, AH, or AI.
24. (Previously presented) The compound of Claim 17, wherein one or both L is a moiety of formulae O.
25. (Previously presented) The compound of Claim 17, wherein one or both L is a moiety of formulae P.

Application Serial No.: 10/824,005

Attorney Docket No. P-082-US3

Page 24 of 28

26. (Previously presented) The compound of Claim 17, wherein one or both L is a moiety of formulae S.
27. (Previously presented) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound of Claim 13.
28. (Previously presented) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound of Claim 17.
29. (canceled)
30. (Currently Amended) A method of treating a disease or medical disorder mediated by a protein kinase wherein the disease or medical disorder is selected from the group consisting of recurrent ocular herpetic keratitis, diabetic retinopathy, VEGF-induced angiogenesis, macular degeneration, ischemia, atherosclerosis, ~~chronic inflammatory disease,~~ and psoriasis, ~~arthritis,~~ ~~and neoplasia,~~ the method comprising administering to a mammal in need of such treatment a pharmaceutical composition comprising a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound of Claim 13.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**